Safety Data Sheet



Issue Date: 06-Sep-2011 Revision Date: 25-Oct-2017 Version 1

1. IDENTIFICATION

Product Identifier

Product Name PC-7, Part A

Other means of identification

SDS # 130519-23C-CA

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Multi-purpose epoxy paste

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Initial Supplier Identifier
THIS SAFETY DATA SHEET
IS NOT COMPLIANT UNLESS

IS NOT COMPLIANT UNLESS CANADIAN ADDRESS IS USED

<u>Manufacturer Address</u> Protective Coatings Co.

221 S Third St.

Allentown, PA 18102 USA 610-432-3543 / 800-220-2103

Emergency Telephone Number

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Grey paste Physical state Paste Odour Mild

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitisation	Category 1

Label Elements

Signal word Warning

Hazard statements

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapours/spray Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of water and soap

Take off all contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Bisphenol A - Epichlorohydrin polymer	25068-38-6	49	-	•
Talc	14807-96-6	37	-	•
Formaldehyde, polymer with 1,3,dimethylbenzene	26139-75-3	11	-	-
Soda lime borosilicate glass	65997-17-3	2	-	-
Polyethylene	9002-88-4	1	-	-
Titanium dioxide	13463-67-7	0.5	-	-

4. FIRST AID MEASURES

First Aid Measures

General advice Provide this SDS to medical personnel for treatment. After first aid, get appropriate in-plant,

paramedic, or community medical support.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If eye irritation persists: Get medical

advice/attention.

EN / HGHS Page 2/9

Skin contactWash with soap and plenty of water. Remove and wash contaminated clothing before

reuse. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands. If skin irritation or rash occurs: Get medical advice/attention.

Revision Date: 25-Oct-2017

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Seek medical advice.

Self-protection of the first aider First Aid responders should pay attention to self-protection and use the recommended

protective clothing (chemical resistant gloves, splash protection). If potential for exposure

exists refer to Section 8 for specific personal protective equipment.

Most important symptoms and effects

Symptoms Causes eye and skin irritation. Inhalation only possible at elevated temperatures. May

cause irritation. May cause an allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Note to doctors Skin and eye conditions may be aggravated by long term exposure.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Not determined.

Specific hazards arising from the

chemical

Product is not flammable.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Aldehydes.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Wear positive pressure self-contained breathing apparatus (SCBA). Do not release runoff from fire control methods to sewers or

waterways. NFPA Class IIIB.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsWear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

EN / HGHS Page 3/9

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dispose of contents/container to an approved waste disposal plant.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Wear appropriate

personal protective equipment. Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Contaminated work clothing

Revision Date: 25-Oct-2017

should not be allowed out of the workplace. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store contents under

<90F (32C). NFPA Class IIIB storage.

Incompatible materials

None known based on information supplied

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Talc 14807-96-6	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 3 mg/m ³
Soda lime borosilicate glass 65997-17-3	TWA: 5 mg/m ³ TWA: 1 fibre/cm3	TWA: 1 fibre/cm3 TWA: 5 mg/m ³	TWA: 1 fibre/cm3 TWA: 5 mg/m ³	TWA: 10 mg/m ³
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³

Other Information If product is sanded, appropriate respirator should be worn to avoid breathing dust.

Pre-existing respiratory disorders may be aggravated by exposure. If sanded, this material may generate titanium dioxide dust. Inhaled titanium dioxide has been classified by IARC

as a human carcinogen (see section 11).

Appropriate engineering controls

Engineering controls Maintain eye wash fountain and quick-drench facilities in work area. Provide general or

local exhaust ventilation if product is sanded or ground.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical safety goggles/faceshield. If necessary, refer to appropriate regulations and

standards.

EN / HGHS Page 4/9

Skin and body protection Wear protective gloves and protective clothing. If necessary, refer to appropriate

regulations and standards.

Respiratory protection Ensure adequate ventilation, especially in confined areas. Wear an appropriate

NIOSH/MSHA approved respirator if ventilation is inadequate. If necessary, refer to

appropriate regulations and standards.

General hygiene considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before

CC (closed cup)

Revision Date: 25-Oct-2017

reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Paste
Appearance Grey paste
Colour Grey
Odour Mild

Odour Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH >/= 2.0 - </= 12.0

Melting Point/Freezing Point Not available Boiling Point/Boiling Range No data

Flash Point 248.88 °C / 480 °F

Evaporation Rate Not determined

Flammability (Solid, Gas)

Not determined

Flammability Limits in Air

Upper Flammability LimitsNot availableLower Flammability LimitNot availableVapour PressureNot determinedVapour DensityNot available

Relative Density 1.15 (1=Water)

Water Solubility Insoluble in water

Solubility in other solvents
Partition Coefficient
Auto-ignition Temperature
Decomposition Temperature
Kinematic Viscosity
Not determined

Explosive propertiesNo information available. **Oxidising properties**No information available.

Other Information

Softening Point
Molecular weight
VOC Content (%)
No information available
No information available
No information available

Density 9.5 lbs/gal

Bulk Density No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical Stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerisation Hazardous polymerisation does not occur.

EN / HGHS Page 5/9

Conditions to Avoid Keep out of reach of children.

Incompatible MaterialsNone known based on information supplied.

Hazardous Decomposition Products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact Causes serious eye irritation.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation

hazard.

Ingestion May cause discomfort if swallowed.

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 11,304.00

mg/kg

Unknown acute toxicity No information available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Bisphenol A - Epichlorohydrin	= 11400 mg/kg (Rat)	20000 mg/kg (rabbit)	-
polymer			
25068-38-6			
Formaldehyde, polymer with	>2000 mg/kg (rat)	-	-
1,3,dimethylbenzene			
26139-75-3			
Polyethylene	> 2000 mg/kg (Rat) = 8 g/kg	-	-
9002-88-4	(Rat)		
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
13463-67-7			

EN / HGHS Page 6/9

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Carcinogenicity

Titanium dioxide is a possible carcinogen when it appears as a respirable dust.

Revision Date: 25-Oct-2017

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Talc	-	Group 3	-	X
14807-96-6				
Soda lime borosilicate glass 65997-17-3	•	Group 3	-	-
Polyethylene 9002-88-4	-	Group 3	-	-
Titanium dioxide 13463-67-7	-	Group 2B	-	Х

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labour)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

T 400 00 B	Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
14807-96-6 100: 96 h Brachydanio - 14807-96-6 rerio g/L LC50 semi-static	Talc 14807-96-6	-	100: 96 h Brachydanio	-	-

Persistence/Degradability No information available.

Bioaccumulation No information available.

Mobility Not determined.

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

EN / HGHS Page 7/9

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances

DOT Not regulated

TDG Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

REGULATORY INFORMATION

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Bisphenol A - Epichlorohydrin polymer	Х	Х	Х	Present	Х	Present	Х	Х
Talc	Х	Х	X	Present	Х	Present	Х	Х
Formaldehyde, polymer with 1,3,dimethylbenzen e	Х	X		Present	Х	Present	Х	Х
Soda lime borosilicate glass	Х	Х	Х	Present	Х	Present	Х	Х
Polyethylene	Х	Х		Present	Х	Present	Х	Х
Titanium dioxide	X	Х	Х	Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

EN / HGHS Page 8/9

16. OTHER INFORMATION. INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health Hazards 2 Flammability 1 Instability 0 Special Hazards Not

determined

Health Hazards 2 Flammability 1 Physical hazards 0 Personal Protection B-

IIS Health Hazards 2 Flammability 1 Physical hazards 0 Personal Protection B-Safety Glasses, Gloves

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value
* Skin designation

Issue Date: 06-Sep-2011

Revision Date: 25-Oct-2017

Revision Note: New format.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

EN / HGHS Page 9/9

Safety Data Sheet



Issue Date: 06-Sep-2011 Revision Date: 25-Oct-2017 Version 1

1. IDENTIFICATION

Product Identifier

Product Name PC-7, Part B

Other means of identification

SDS # 130519-20C-CA

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Multi-purpose epoxy paste

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Initial Supplier IdentifierManufacturer AddressTHIS SAFETY DATA SHEETProtective Coatings Co.IS NOT COMPLIANT UNLESS221 S Third St.

ANADIAN ADDRESS IS LISTD

CANADIAN ADDRESS IS USED Allentown, PA 18102 USA 610-432-3543 / 800-220-2103

Emergency Telephone Number

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

AppearanceBlack pastePhysical statePasteOdourSlight amine

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitisation	Category 1

Label Elements

Signal word Warning

Hazard statements

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapours/spray Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap Take off all contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Aliphatic Polyaminoamide	68410-23-1	45	-	-
Talc	14807-96-6	19	-	-
Kaolin	1332-58-7	13	-	-
Triethylene tetramine	112-24-3	5	-	-
Soda lime borosilicate glass	65997-17-3	2	-	-
Polyethylene	9002-88-4	2	-	-
Formaldehyde, polymer with 1,3,dimethylbenzene	26139-75-3	2	-	-
Ceramic Fiber	142844-00-6	2	-	-
Carbon Black	1333-86-4	0.9	-	-

EN / HGHS Page 2/9

4. FIRST AID MEASURES

First Aid Measures

General advice Provide this SDS to medical personnel for treatment. After first aid, get appropriate in-plant,

paramedic, or community medical support.

Eve contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If eye irritation persists: Get medical

advice/attention.

Skin contact Wash with soap and plenty of water. Remove and wash contaminated clothing before

reuse. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center

if individual's condition declines or if symptoms persist.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get medical attention if you feel

Revision Date: 25-Oct-2017

unwell.

Most important symptoms and effects

Symptoms Causes eye and skin irritation. May cause an allergic skin reaction. May be harmful if

swallowed.

Indication of any immediate medical attention and special treatment needed

Note to doctors Skin and eye conditions may be aggravated by long term exposure.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Not determined.

Specific hazards arising from the

chemical

Product is not flammable.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Aldehydes.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Wear positive pressure self-contained breathing apparatus (SCBA). NFPA Class IIIB. Do not release runoff from fire control

methods to sewers or waterways.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective gloves/protective clothing and eye/face protection. Remove any

contaminated clothing and wash thoroughly before reuse.

EN / HGHS Page 3/9

Environmental precautions

Environmental precautionsSee Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dispose of contents/container to an approved waste disposal plant.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Wear appropriate

personal protective equipment. Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing

Revision Date: 25-Oct-2017

dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of

the workplace.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store contents under

<90F (32C). NFPA Class IIIB storage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Talc 14807-96-6	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 3 mg/m ³
Kaolin 1332-58-7	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 5 mg/m ³
Triethylene tetramine 112-24-3			TWA: 0.5 ppm TWA: 3 mg/m³ Skin	
Soda lime borosilicate glass 65997-17-3	TWA: 5 mg/m ³ TWA: 1 fibre/cm3	TWA: 1 fibre/cm3 TWA: 5 mg/m ³	TWA: 1 fibre/cm3 TWA: 5 mg/m ³	TWA: 10 mg/m ³
Ceramic Fiber 142844-00-6	TWA: 0.2 fibre/cm3	TWA: 0.2 fibre/cm3	TWA: 0.5 fibre/cm3	TWA: 1 fibre/cm3
Carbon Black 1333-86-4	TWA: 3.5 mg/m ³	TWA: 3 mg/m ³	TWA: 3 mg/m ³	TWA: 3.5 mg/m ³

Other Information If product is sanded, appropriate respirator should be worn to avoid breathing dust.

Pre-existing respiratory disorders may be aggravated by exposure. If sanded, this material may generate Ceramic fiber dust. Inhaled fibers have been classified by IARC as a human

carcinogen (see section 11).

EN / HGHS Page 4/9

Appropriate engineering controls

Engineering controls Provide general or local exhaust ventilation if product is sanded or ground. Maintain eye

wash fountain and quick-drench facilities in work area.

Individual protection measures, such as personal protective equipment

Eve/face protection Chemical safety goggles/faceshield. If necessary, refer to appropriate regulations and

standards.

Skin and body protection Wear protective gloves and protective clothing. If necessary, refer to appropriate

regulations and standards.

Respiratory protection Ensure adequate ventilation, especially in confined areas. Wear an appropriate

NIOSH/MSHA approved respirator if ventilation is inadequate. If necessary, refer to

appropriate regulations and standards.

General hygiene considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before

Revision Date: 25-Oct-2017

reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical statePasteAppearanceBlack pasteColourBlackOdourSlight amine

Odour Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH >/= 2.0 - </= 12.0

Melting Point/Freezing Point

Boiling Point/Boiling Range

No data

Flash Point 110 °C / 230 °F CC (closed cup)

Evaporation Rate Not determined Flammability (Solid, Gas) Not determined

Flammability Limits in Air

Upper Flammability Limits
Lower Flammability Limit

Vapour Pressure
Vapour Density

Not available
Not determined
Not available

Relative Density 0.86 (1=Water)
Water Solubility Insoluble in water

Water Solubility Insoluble Solubility in other solvents Alcohols

Partition Coefficient
Auto-ignition Temperature
Decomposition Temperature
Kinematic Viscosity
Not determined

Explosive propertiesNo information available. **Oxidising properties**No information available.

Other Information

Softening Point
Molecular weight
VOC Content (%)
No information available
No information available
No information available

Density 7.2 lbs/gal

Bulk Density

No information available

EN / HGHS Page 5/9

10. STABILITY AND REACTIVITY

Reactivity Not reactive under normal conditions.

Chemical Stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerisation Hazardous polymerisation does not occur.

Conditions to Avoid Excessive heat over long periods of time.

Incompatible Materials None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact Causes serious eye irritation.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation

nazard.

Ingestion May cause discomfort if swallowed. May be harmful if swallowed.

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)

4,000.00

mg/kg

Unknown acute toxicity No information available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Aliphatic Polyaminoamide 68410-23-1	>2000 mg/kg (rat)	2000 mg/kg (rat)	-
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Triethylene tetramine 112-24-3	= 2500 mg/kg (Rat)	= 550 mg/kg (Rabbit)	-
Polyethylene 9002-88-4	> 2000 mg/kg (Rat) = 8 g/kg (Rat)	-	-

EN / HGHS Page 6/9

Formaldehyde, polymer with 1,3,dimethylbenzene 26139-75-3	>2000 mg/kg (rat)	-	-
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Carcinogenicity

Carbon black is a possible carcinogen when it appears as a respirable dust. Ceramic Fiber is a possible carcinogen when it appears as a respirable dust.

Revision Date: 25-Oct-2017

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Talc 14807-96-6	-	Group 3	-	X
Soda lime borosilicate glass 65997-17-3	-	Group 3	-	-
Polyethylene 9002-88-4	-	Group 3	-	-
Ceramic Fiber 142844-00-6	A2	Group 2B	Reasonably Anticipated	Х
Carbon Black 1333-86-4	А3	Group 2B	-	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labour)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea	
			microorganisms		
Talc	-	100: 96 h Brachydanio	-	-	
14807-96-6		rerio g/L LC50 semi-static			
Triethylene tetramine	20: 72 h	495: 96 h Pimephales	-	31.1: 48 h Daphnia	
112-24-3	Pseudokirchneriella	promelas mg/L LC50 570:		magna mg/L EC50	
	subcapitata mg/L EC50	96 h Poecilia reticulata			
	3.7: 96 h	mg/L LC50 semi-static			
	Pseudokirchneriella				
	subcapitata mg/L EC50				
	2.5: 72 h Desmodesmus				
	subspicatus mg/L EC50				
Carbon Black	-	-	-	5600: 24 h Daphnia	
1333-86-4				magna mg/L EC50	

Persistence/Degradability No information available.

Bioaccumulation No information available.

EN / HGHS Page 7/9

Mobility

Component Information

Component information						
Chemical Name	Partition Coefficient					
Triethylene tetramine	-1.4					
112-24-3						

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

Revision Date: 25-Oct-2017

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

REGULATORY INFORMATION

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Aliphatic Polyaminoamide	Х	X		Present	X	Present	X	Х
Talc	Χ	X	X	Present	X	Present	X	X
Kaolin	X	Х	X	Present	X	Present	X	X
Triethylene tetramine	Х	Х	Х	Present	Х	Present	X	Х
Soda lime borosilicate glass	Х	Х	Х	Present	Х	Present	X	Х
Polyethylene	Х	X		Present	X	Present	Х	X
Formaldehyde, polymer with	Х	Х		Present	Х	Present	Х	Х

EN / HGHS Page 8/9

1,3,dimethylbenzen								
е								
Ceramic Fiber					Х			
Carbon Black	Х	Х	Х	Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health Hazards 2 Flammability 1 Instability 0 Special Hazards Not

determined

Revision Date: 25-Oct-2017

HMIS Health Hazards 2 Flammability 1 Physical hazards 0 Personal Protection B-

Safety Glasses, Gloves

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value
* Skin designation

Issue Date: 06-Sep-2011

Revision Date: 25-Oct-2017

Revision Note: New format.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

EN / HGHS Page 9/9