



Safety Data Sheet

Issue Date: 03-Jul-2014

Revision Date: 08-Mar-2019

Version 4

1. IDENTIFICATION

Product identifier

Product Name PC ROT TERMINATOR, HARDENER

Other means of identification

SDS # 140703-13

UN/ID No UN2735

Recommended use of the chemical and restrictions on use

Recommended Use Adhesives.

Details of the supplier of the safety data sheet

Supplier Address

Protective Coatings Co.
221 S Third St.
Allentown, PA 18102 USA

Emergency telephone number

Company Phone Number

610-432-3543 / 800-220-2103

Emergency Telephone

INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Amber liquid

Physical state Liquid

Odor Ammonia

Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1

Signal Word

Danger

Hazard statements

Causes severe skin burns and eye damage
May cause an allergic skin reaction



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

Immediately call a poison center or doctor/physician
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a poison center or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 If skin irritation or rash occurs: Get medical advice/attention
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Immediately call a poison center or doctor/physician
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Toxic to aquatic life with long lasting effects

Unknown Acute Toxicity

90-97 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
TOFA, reaction products with TEPA	68953-36-6	90-97
Tetraethylenepentamine	112-57-2	<10
Triethylene tetramine	112-24-3	<0.5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice	Provide this SDS to medical personnel for treatment. After first aid, get appropriate in-plant, paramedic, or community medical support.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Seek medical attention.
Skin Contact	Wash with soap and water. Remove and wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove to fresh air. If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms May cause severe burns to skin, eyes and other body tissue. Inhalation of vapors and/or aerosols in high concentration may cause irritation of respiratory system. May cause nose, throat, and lung irritation. If absorbed through the skin, may cause central nervous system effects, such as headache, nausea, dizziness, confusion, breathing difficulties. May cause delayed lung injury. May be harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Skin and eye conditions may be aggravated by long term exposure. Medical Conditions Aggravated by Long-Term Exposure: skin disorders, asthma, allergies and eye conditions.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Alcohol-resistant foam, Carbon dioxide (CO₂), Dry chemical, Dry sand and Limestone powder.

Unsuitable Extinguishing Media Water.

Specific Hazards Arising from the Chemical

May generate ammonia gas. May generate toxic nitrogen oxide gases. Use of water may result in the formation of very toxic aqueous solutions. Do not allow run-off from fire fighting to enter drains or water courses. Incomplete combustion may form carbon monoxide. Downward personnel must be evacuated. Burning produces obnoxious and toxic fumes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Wear butyl rubber boots, gloves, and bodysuit. Keep containers cool with water spray. Wear positive pressure self-contained breathing apparatus (SCBA). Do not release runoff from fire control methods to sewers or waterways. NFPA Class IIIB.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapors, mist or gas. Remove any contaminated clothing and wash thoroughly before reuse. Evacuate personnel to safe areas.

For Emergency Responders Follow applicable OSHA regulations (29 CFR 1910.120).

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. For large spills, dike far ahead of liquid spill for later disposal.

Methods for Clean-Up Soak up in adsorbent material such as sand and collect in suitable containers. Residual resin may be removed using steam or hot soapy water. Dispose of contents/container to an approved waste disposal plant. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Do not breathe vapors or spray mist.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store contents under <90F (32C) . NFPA Class IIIB storage. Store locked up.

Incompatible Materials CAUTION! N-Nitrosamines, many of which are known to be potent carcinogens, may be formed when the product comes in contact with nitrous acid, nitrites or atmospheres with high nitrous oxide concentrations. Nitrous acid and other nitro sating agents. Organic acids (i.e. acetic acid, citric acid etc.). Mineral acids. Sodium hypochlorite. Product slowly corrodes copper, aluminum, zinc and galvanized surfaces. Reaction with peroxides may result in violent decomposition of peroxide possibly creating an explosion. Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines The following information is given as general guidance

Appropriate engineering controls

Engineering Controls Provide general or local exhaust ventilation if product is sanded or ground.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical safety goggles/faceshield. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Wear protective gloves and protective clothing. Long sleeve shirts and trousers without cuffs.

Butyl-rubber, Nitrile rubber, Neoprene gloves, Polyvinyl Alcohol Gloves (PVA), Impervious gloves, The breakthrough time of the selected glove(s) must be greater than the intended use period. Reference Wiley's "Quick Selection Guide to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Ammonia
Appearance	Amber liquid	Odor Threshold	Not determined
Color	Amber		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	

Melting point / freezing point	Not data	
Boiling point / boiling range	> 200 °C / >390 °F	
Flash point	195 °C / 383 °F	CC (closed cup)
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper flammability or explosive limits	Not available	
Lower flammability or explosive limits	Not available	
Vapor Pressure	<21 mm Hg	(at 20°C/68°F)
Vapor Density	Not data	
Relative Density	Not determined	
Water Solubility	negligible	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	Not available	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

Other information

Bulk density 8.5 lbs/gallon @ 25°C

10. STABILITY AND REACTIVITY**Reactivity**

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

CAUTION! N-Nitrosamines, many of which are known to be potent carcinogens, may be formed when the product comes in contact with nitrous acid, nitrites or atmospheres with high nitrous oxide concentrations. Nitrous acid and other nitro sating agents. Organic acids (i.e. acetic acid, citric acid etc.). Mineral acids. Sodium hypochlorite. Product slowly corrodes copper, aluminum, zinc and galvanized surfaces. Reaction with peroxides may result in violent decomposition of peroxide possibly creating an explosion. Oxidizing agents.

Hazardous decomposition products

Nitric acid. Ammonia Nitrogen oxides (NOx). Nitrogen oxide can react with water vapors to form corrosive nitric acid. Carbon monoxide. Carbon dioxide (CO2). Nitrosamine.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns. May cause an allergic skin reaction.
Inhalation	May cause irritation of respiratory tract.
Ingestion	May be harmful if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Tetraethylenepentamine 112-57-2	= 3990 mg/kg (Rat)	= 660 µL/kg (Rabbit)	-
Triethylene tetramine 112-24-3	= 2500 mg/kg (Rat)	= 550 mg/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Please see section 4 of this SDS for symptoms.
-----------------	--

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause an allergic skin reaction.
Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Target organ effects	Respiratory system, Eyes, Skin.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

Unknown Acute Toxicity 90-97 % of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Tetraethylenepentamine 112-57-2	2.1: 72 h Pseudokirchneriella subcapitata mg/L EC50	420: 96 h Poecilia reticulata mg/L LC50 static	24.1: 48 h Daphnia magna mg/L EC50
Triethylene tetramine 112-24-3	20: 72 h Pseudokirchneriella subcapitata mg/L EC50 3.7: 96 h Pseudokirchneriella subcapitata mg/L EC50 2.5: 72 h Desmodesmus subspicatus mg/L EC50	495: 96 h Pimephales promelas mg/L LC50 570: 96 h Poecilia reticulata mg/L LC50 semi-static	31.1: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Tetraethylenepentamine 112-57-2	<1
Triethylene tetramine 112-24-3	-1.4

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Contact your supplier or a licensed contractor for detailed recommendations. Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No	UN2735
Proper Shipping Name	Amines, liquid, corrosive, n.o.s. (Tetraethylenepentamine)
Hazard class	8
Packing Group	III

IATA

UN number	UN2735
Proper Shipping Name	Amines, liquid, corrosive, n.o.s. (Tetraethylenepentamine)
Transport hazard class(es)	8
Packing Group	III

IMDG

UN number	UN2735
Proper Shipping Name	Amines, liquid, corrosive, n.o.s. (Tetraethylenepentamine)
Transport hazard class(es)	8
Packing Group	III
Marine Pollutant	Yes

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
TOFA, reaction products with TEPA	X	X	X	X	X	X	X	X
Tetraethylenepentamine	X	X	X	X	X	X	X	X
Triethylene tetramine	X	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Not determined

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Tetraethylenepentamine 112-57-2	X	X	X
Triethylene tetramine 112-24-3	X	X	X

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards 3	Flammability 1	Instability 0	Special Hazards Not determined
<u>HMIS</u>	Health Hazards 3	Flammability 1	Physical hazards 0	Personal Protection B- Safety Glasses, Gloves

Issue Date: 03-Jul-2014
 Revision Date: 08-Mar-2019
 Revision Note: Regulatory review

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



Safety Data Sheet

Issue Date: 06-Sep-2011

Revision Date: 08-Mar-2019

Version 4

1. IDENTIFICATION

Product identifier

Product Name PC ROT TERMINATOR, RESIN

Other means of identification

SDS # 130519-12

Recommended use of the chemical and restrictions on use

Recommended Use Adhesives.

Details of the supplier of the safety data sheet

Supplier Address

Protective Coatings Co.
221 S Third St.
Allentown, PA 18102 USA

Emergency telephone number

Company Phone Number 610-432-3543 / 800-220-2103
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Colorless liquid

Physical state Liquid

Odor Epoxy

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1

Signal Word

Warning

Hazard statements

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN: Wash with plenty of water and soap
 Take off contaminated clothing and wash before reuse
 If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Polymer of epichlorohydrin and bisphenol A	25085-99-8	60-80
Neopentyl Glycol diglycidyl ether	17557-23-2	10-20
Alkyl (C12-14) glycidyl ether	68609-97-2	10-20

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice	Provide this SDS to medical personnel for treatment. After first aid, get appropriate in-plant, paramedic, or community medical support.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash with soap and water. Remove and wash contaminated clothing before reuse. Get medical attention if irritation occurs.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Remove stomach contents by medical personnel only. Immediate medical attention is required.

Most important symptoms and effects, both acute and delayed

Symptoms	Causes eye irritation. Direct contact may cause temporary redness and discomfort. Causes skin irritation. May cause respiratory irritation. Ingestion may cause nausea, vomiting, dizziness, and headache, Coma.
-----------------	--

Indication of any immediate medical attention and special treatment needed**Notes to Physician**

Skin and eye conditions may be aggravated by long term exposure.
 Medical Conditions Aggravated by Long-Term Exposure: skin disorders and allergies and eye conditions.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂), Dry chemical, Alcohol foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Ignition will give rise to a Class B fire. May generate toxic or irritating combustion products. May generate carbon monoxide gas.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂),

Protective equipment and precautions for firefighters

Keep containers cool with water spray. Wear butyl rubber boots, gloves, and bodysuit. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Do not release runoff from fire control methods to sewers or waterways. NFPA Class III B.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures**Personal Precautions**

Wear protective gloves/protective clothing and eye/face protection. Remove any contaminated clothing and wash thoroughly before reuse.

For Emergency Responders

Follow applicable OSHA regulations (29 CFR 1910.120).

Environmental precautions**Environmental precautions**

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up**Methods for Containment**

Prevent further leakage or spillage if safe to do so. For large spills, dike far ahead of liquid spill for later disposal.

Methods for Clean-Up

Dispose of contents/container to an approved waste disposal plant. Soak up in adsorbent material such as sand and collect in suitable containers. Residual resin may be removed using steam or hot soapy water. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling**Advice on Safe Handling**

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid breathing vapors or mists. Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store contents under <90F (32C) . NFPA Class IIIB storage.
Incompatible Materials	Bases, Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines The following information is given as general guidance

Appropriate engineering controls

Engineering Controls Provide general or local exhaust ventilation systems if possible. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Chemical safety goggles/faceshield.
Skin and Body Protection	Wear chemically protective gloves to prevent skin contact. Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state	Liquid	Odor	Epoxy
Appearance	Colorless liquid	Odor Threshold	Not determined
Color	Colorless		
Property	Values	Remarks • Method	
pH	Not determined		
Melting point / freezing point	0 °C / 32 °F		
Boiling point / boiling range	> 148.88 °C / >300 °F		
Flash point	177 °C / 350 °F	CC (closed cup)	
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Not determined		
Flammability Limit in Air			
Upper flammability or explosive limits	Not available		
Lower flammability or explosive limits	Not available		
Vapor Pressure	0.06 mm Hg		
Vapor Density	Not data		
Relative Density	1.11 @ 4 °C		
Water Solubility	Insoluble in water		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Autoignition temperature	Not available		

Decomposition temperature	Not determined
Kinematic viscosity	Same as water
Dynamic Viscosity	Same as water
Explosive Properties	Not determined
Oxidizing Properties	Not determined

Other information

VOC Content 0 grams/liter

10. STABILITY AND REACTIVITY**Reactivity**

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

Bases, Oxidizing agents.

Hazardous decomposition products

Thermal oxidative decomposition can produce CO, CO₂ in a fire.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information**

Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation.
Inhalation	May cause irritation of respiratory tract.
Ingestion	May cause nausea, vomiting, stomach ache, and diarrhea.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Polymer of epichlorohydrin and bisphenol A 25085-99-8	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	-
Alkyl (C12-14) glycidyl ether 68609-97-2	= 17100 mg/kg (Rat)	> 3987 mg/kg (Rabbit)	-
Neopentyl Glycol diglycidyl ether 17557-23-2	= 4500 mg/kg (Rat)	-	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause an allergic skin reaction.

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document Not determined.

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Contact your supplier or a licensed contractor for detailed recommendations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Polymer of epichlorohydrin and bisphenol A	X	X		X	X	X	X	X
Alkyl (C12-14) glycidyl ether	X	X	X	X	X	X	X	X
Neopentyl Glycol diglycidyl ether	X	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Not determined

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	1	1	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical hazards	Personal Protection
	1	1	0	B- Safety Glasses, Gloves

Issue Date: 06-Sep-2011
Revision Date: 08-Mar-2019
Revision Note: Regulatory review

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet