

Safety Data Sheet

rsior	n 3
lor	Mild

Hazard statements Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Bisphenol A - Epichlorohydrin polymer	25068-38-6	60-65
Kaolin	1332-58-7	8-10
Hydrous magnesium silicate	14807-96-6	5-7
Bis(2-ethylhexyl) terephthalate	6422-86-2	4-6
Glycidyl Ethers of Bisphenol F Resin	Proprietary	1-3
Titanium Dioxide	1317-80-2	<1
Polyethylene fiber	Proprietary	<1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice	Provide this SDS to medical personnel for treatment. After first aid, get appropriate in-plant, paramedic, or community medical support.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash with soap and water. Remove and wash contaminated clothing before reuse. Get medical attention if irritation occurs.
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center if individual's condition declines or if symptoms persist.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Seek medical advice.
Most important symptoms and effe	ects, both acute and delayed

Symptoms Causes eye irritation. Direct contact may cause temporary redness and discomfort. Causes skin irritation. Can cause respiratory tract irritation. May cause nose, throat, and lung irritation.

Indication of any immediate medical attention and special treatment needed

Skin and eye conditions may be aggravated by long term exposure. Application of corticosteroid cream has been effective in treating skin irritation.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, CO2 or water spray.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Aldehydes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Wear positive pressure self-contained breathing apparatus (SCBA). Do not release runoff from fire control methods to sewers or waterways. NFPA Class IIIB.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Wear protective gloves/protective clothing and eye/face protection. Avoid breathing vapors, mist or gas. Remove any contaminated clothing and wash thoroughly before reuse.
For Emergency Responders	Follow applicable OSHA regulations (29 CFR 1910.120).
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information. Prevent runoff from entering drains, sewers or streams.
Methods and material for containme	ent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an absorbent material.
Methods for Clean-Up	Dispose of contents/container to an approved waste disposal plant. Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wear appropriate personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store contents under <90F (32C) . NFPA Class IIIB storage.
Incompatible Materials	Strong oxidizing agents, Acids, Amines, Bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Kaolin 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter		TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Hydrous magnesium silicate 14807-96-6	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	(vacated) TWA: 2 mg/m ³	IDLH: 1000 mg/m ³ TWA: 2 mg/m ³ containing no Asbestos and <1% Quartz respirable dust

Appropriate engineering controls

Engineering Controls	Provide general or local exhaust ventilation if product is sanded or ground.
Individual protection measures, s	uch as personal protective equipment
Eye/Face Protection	Chemical safety goggles/faceshield. Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Wear protective gloves and protective clothing. Reference Wiley's "Quick Selection Guide to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Paste White paste White	Odor Odor Threshold	Mild Not determined
<u>Property</u> pH Melting point / freezing point	<u>Values</u> Not determined Not available	<u>Remarks • Method</u>	
Boiling point / boiling range Flash point Evaporation Rate Flammability (Solid, Gas) Flammability Limit in Air	No data 248.88 °C / 480 °F Not determined Not determined	CC (closed cup)	

Upper flammability or explosive limits	Not available
Lower flammability or explosive limits	Not available
Vapor Pressure	Not determined
Vapor Density	Not available
Relative Density	0.79
Water Solubility	Insoluble in water
Solubility in other solvents	Alcohols
Partition Coefficient	Not determined
Autoignition temperature	Not determined
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined
Other information	
Liquid Density	6.6 lbs/gal

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

Strong oxidizing agents, Acids, Amines, Bases.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Ingestion	May cause discomfort if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Bisphenol A - Epichlorohydrin	= 11400 mg/kg (Rat)	20000 mg/kg (rabbit)	-
polymer			
25068-38-6			
Kaolin	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1332-58-7		J • ()	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause an allergic skin reaction.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical name	ACGIH	IARC	NTP	OSHA
Hydrous magnesium silicate 14807-96-6		Group 3		Х
Polyethylene fiber		Group 3		

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50	
Dermal LD50	

10,682.00 62,933.00

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Hydrous magnesium silicate 14807-96-6		100: 96 h Brachydanio rerio g/L LC50 semi-static	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.
	14. TRANSPORT INFORMATION
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Bisphenol A - Epichlorohydrin polymer	Х	Х	Х	Х	Х	Х	Х	Х
Kaolin	Х	Х	Х		Х	Х	Х	Х
Hydrous magnesium silicate	Х	Х	Х	Х	Х	Х	Х	Х
Bis(2-ethylhexyl) terephthalate	Х	Х	Х	Х	Х	Х	Х	Х
Glycidyl Ethers of Bisphenol F Resin	Х	х		Х	Х	Х	Х	Х
Polyethylene fiber	Х	Х		Х	Х	Х	Х	Х
Titanium Dioxide	Х	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Kaolin 1332-58-7	Х	Х	Х
Hydrous magnesium silicate 14807-96-6	Х	Х	Х
Titanium Dioxide 1317-80-2			Х

16. OTHER INFORMATION



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



Safety Data Sheet

Issue Date: 21-May-2013 Revision Date: 07-Mar-2019 **1. IDENTIFICATION** Product identifier **Product Name** PC - Woody, Part B Other means of identification SDS # 130625-16 Recommended use of the chemical and restrictions on use **Recommended Use** Adhesives. Details of the supplier of the safety data sheet Supplier Address Protective Coatings Co. 221 S Third St. Allentown, PA 18102 USA Emergency telephone number **Company Phone Number** 610-432-3543 / 800-220-2103 **Emergency Telephone** INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Light brown paste

Physical state Paste

Odor Slight amine

Version 3

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1

<u>Signal Word</u> Warning

Hazard statements

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Styrenated phenol	61788-44-1	30-35
Kaolin	1332-58-7	15-20
Aliphatic Polyaminoamide	68410-23-1	10-12
Polyoxypropylenediamine	9046-10-0	8-10
Talc	14807-96-6	6-8
N-Aminoethyl piperazine	140-31-8	5-7
Bis(2-ethylhexyl) terephthalate	6422-86-2	5-7

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice	Provide this SDS to medical personnel for treatment. After first aid, get appropriate in-plant, paramedic, or community medical support.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash with soap and water. Remove and wash contaminated clothing before reuse. Get medical attention if irritation occurs.
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center if individual's condition declines or if symptoms persist.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice.

Self-Protection of the First Aider First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Most important symptoms and effects, both acute and delayed

SymptomsCauses eye irritation. Direct contact may cause temporary redness and discomfort. Causes
skin irritation. Inhalation only possible at elevated temperatures. May cause irritation. May
cause an allergic skin reaction. May be harmful if swallowed. May be harmful in contact with
skin.

Indication of any immediate medical attention and special treatment needed

Notes to PhysicianSkin and eye conditions may be aggravated by long term exposure. No specific antidote.
Treatment of exposure should be directed at the control of symptoms and the clinical
condition of the patient.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2), Dry chemical, Alcohol foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable.

Hazardous combustion products Carbon monoxide, Carbon dioxide (CO2), Aldehydes.

Protective equipment and precautions for firefighters

A face shield should be worn. Firefighters should wear butyl rubber boots, gloves, and body suit and a self-contained breathing apparatus. Water spray may be used to cool closed containers exposed to fire. Retain expended liquids from fire fighting for later disposal. Do not release runoff from fire control methods to sewers or waterways. NFPA Class IIIB.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Wear protective gloves/protective clothing and eye/face protection. Avoid breathing vapors, mist or gas. Remove any contaminated clothing and wash thoroughly before reuse.
For Emergency Responders	Follow applicable OSHA regulations (29 CFR 1910.120).
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information. Do not release into sewers or waterways.
Methods and material for containm	ent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an absorbent material.
Methods for Clean-Up	Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Wear appropriate personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store contents under <90F (32C) . NFPA Class IIIB storage.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Kaolin	TWA: 2 mg/m ³ particulate matter		TWA: 10 mg/m ³ total dust
1332-58-7	containing no asbestos and <1%	TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ respirable dust
	crystalline silica, respirable	(vacated) TWA: 10 mg/m ³ total	
	particulate matter	dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Talc	TWA: 2 mg/m ³ particulate matter	(vacated) TWA: 2 mg/m ³	IDLH: 1000 mg/m ³
14807-96-6	containing no asbestos and <1%	respirable dust <1% Crystalline	TWA: 2 mg/m ³ containing no
	crystalline silica, respirable	silica, containing no Asbestos	Asbestos and <1% Quartz
	particulate matter	TWA: 20 mppcf if 1% Quartz or	respirable dust
		more;use Quartz limit	

Appropriate engineering controls

Engineering Controls Provide general or local exhaust ventilation if product is sanded or ground. Suitable emergency eye wash facility should be available in work area.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Chemical safety goggles/faceshield. Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Wear protective gloves and protective clothing. Reference Wiley's "Quick Selection Guide to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator.
General Hygiene Consideratior	ns Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Paste Light brown paste Light brown	Odor Odor Threshold	Slight amine Not determined
<u>Property</u> pH Melting point / freezing point Boiling point (boiling serve	<u>Values</u> Not determined Not available	<u>Remarks • Method</u>	
Boiling point / boiling range Flash point Evaporation Rate Flammability (Solid, Gas)	No data 248.88 °C / 480 °F Not determined Not determined	CC (closed cup)	
Flammability Limit in Air Upper flammability or explosive limits	Not available		
Lower flammability or explosive limits	Not available		
Vapor Pressure Vapor Density Relative Density Water Solubility Solubility in other solvents Partition Coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties Other information	Not determined Not available .77 Insoluble in water Alcohols Not determined Not determined Not determined Not determined Not determined Not determined Not determined		
Liquid Density	6.4 lbs/gal		
	10. STABILITY AND REAC	CTIVITY	
Reactivity Not reactive under normal conditions.			
Chemical stability Stable under recommended storage c	onditions.		
Possibility of hazardous reactions None under normal processing.			
Hazardous Polymerization	Hazardous polymerization does not or	ccur.	
Conditions to Avoid Keep out of reach of children.			

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation. May be harmful in contact with skin.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Ingestion	May be harmful if swallowed. May cause discomfort if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Styrenated phenol	2100 - 6700 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	> 2.5 mg/L (Rat)6 h
61788-44-1			
Kaolin	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1332-58-7			
Aliphatic Polyaminoamide	>2000 mg/kg (rat)	2000 mg/kg (rat)	-
68410-23-1			
Polyoxypropylenediamine	= 1100 mg/kg (Rat)	= 1555 mg/kg (Rabbit)	-
9046-10-0			
N-Aminoethyl piperazine	= 2140 µL/kg (Rat)	= 880 µL/kg (Rabbit)	-
140-31-8			

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

May cause an allergic skin reaction.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical name	ACGIH	IARC	NTP	OSHA
Talc		Group 3		Х
14807-96-6				

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

Oral LD50	>2,000.00 mg/kg
Dermal LD50	2,355.40 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Talc 14807-96-6		100: 96 h Brachydanio rerio g/L LC50 semi-static	
N-Aminoethyl piperazine 140-31-8	495: 72 h Pseudokirchneriella subcapitata mg/L EC50	1950 - 2460: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 1000: 96 h Poecilia reticulata mg/L LC50 semi- static	32: 48 h Daphnia magna mg/L EC50

Persistence/Degradability Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Styrenated phenol 61788-44-1	>4
N-Aminoethyl piperazine 140-31-8	-1.48

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods	
Disposal of Wastes	Contact your supplier or a licensed contractor for detailed recommendations. Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.
	14. TRANSPORT INFORMATION
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Styrenated phenol	Х	Х	Х	Х	Х	Х	Х	Х
Kaolin	Х	Х	Х		Х	Х	Х	Х
Aliphatic Polyaminoamide	Х	Х		Х	Х	Х	Х	Х
Polyoxypropylenediamine	Х	Х		Х	Х	Х	Х	Х
Talc	Х	Х	Х	Х	Х	Х	Х	Х
N-Aminoethyl piperazine	Х	Х	Х	Х	Х	Х	Х	Х
Bis(2-ethylhexyl) terephthalate	Х	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Kaolin 1332-58-7	Х	Х	Х
Talc 14807-96-6	Х	Х	Х
N-Aminoethyl piperazine 140-31-8	Х	Х	Х

16. OTHER INFORMATION

<u>NFPA</u> <u>HMIS</u>	Health Hazards 2 Health Hazards 2	Flammability 1 Flammability 1	Instability 0 Physical hazards 0	Special Hazards Not determined Personal Protection B- Safety Glasses, Gloves
Issue Date: Revision Date: Revision Note:	21-May- 07-Mar- Regulate			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet